

6ch (Mode 1) / 13ch (Mode 2) / 18ch (Mode 3):

CHANNEL			VALUE	FUNCTION
6ch	13ch	18ch		
1	1	1	000-255	RED 0%→100%
2	2	2	000-255	GREEN 0%→100%
3	3	3	000-255	BLUE 0%→100%
4	4		000-255	WHITE 0%→100%
				COLOR MACRO
			000-009	Null
			010-017	Color 1
			018-024	Color 2
			025-032	Color 3
			033-039	Color 4
			040-047	Color 5
			048-054	Color 6
			055-061	Color 7
			062-069	Color 8
			070-076	Color 9
			077-084	Color 10
			085-091	Color 11
			092-099	Color 12
			100-106	Color 13
			107-113	Color 14
			114-121	Color 15
			122-128	Color 16
			129-136	Color 17
			137-143	Color 18
			144-151	Color 19
			152-158	Color 20
			159-165	Color 21
			166-173	Color 22
			174-180	Color 23
			181-188	Color 24
			189-195	Color 25
			196-203	Color 26
			204-210	Color 27
			211-217	Color 28
			218-225	Color 29
			226-232	Color 30

			233-240 241-247 248-255	Color 31 Color 32 Color 33
5	6		000-255	DIMMER 0%→100%
6	7		000-255	DIMMER FINE
	8		000-255	STROBE DURATION
	9		000-006 007-255	STROBE RATE Blackout Strobe from Slow to Fast
	10		000-005 006-050 051-100 101-150 151-200 201-255	STROBE Null Ramp up Ramp down Ramp up-down Lightning Random
		5	000-255	DIMMER (RGB) 0%→100%
		6	000-255	DIMMER FINE (RGB)
		7	000-255	STROBE DURATION (RGB)
		8	000-006 007-255	STROBE RATE (RGB) Blackout Strobe from Slow to Fast
		9	000-005 006-050 051-100 101-150 151-200 201-255	STROBE (RGB) Null Ramp up Ramp down Ramp up-down Lightning Random
	11	10	000-005 006-015 016-025 026-035 036-045 046-055 056-065 066-075 076-085 086-095	MACRO (RGB) Null Macro 1 Macro 2 Macro 3 Macro 4 Macro 5 Macro 6 Macro 7 Macro 8 Macro 9

			096-105 106-115 116-125 126-135 136-145 146-155 156-165 166-175 176-185 186-195 196-205 206-215 216-225 226-235 236-245 246-255	Macro 10 Macro 11 Macro 12 Macro 13 Macro 14 Macro 15 Macro 16 Macro 17 Macro 18 Macro 19 Macro 20 Macro 21 Macro 22 Macro 23 Macro 24 Macro 25
		11	000-127 128-255	MACRO SPEED (RGB) Normal, Slow to Fast Inversion, Slow to Fast
		12	000-255	DIMMER (W) 0%→100%
		13	000-255	DIMMER FINE (W)
		14	000-255	STROBE DURATION (W)
		15	000-006 007-255	STROBE RATE (W) Blackout Strobe from Slow to Fast
		16	000-005 006-050 051-100 101-150 151-200 201-255	STROBE (W) Null Ramp up Ramp down Ramp up-down Lightning Random
	12	17	000-005 006-040 041-075 076-110 111-145 146-180 181-215 216-250 251-255	MACRO (W) Null Macro 1 Macro 2 Macro 3 Macro 4 Macro 5 Macro 6 Macro 7 Macro 8

		18	000-127 128-255	MACRO SPEED (W) Normal, Slow to Fast Inversion, Slow to Fast
	13		000-127 128-255	MACRO SPEED Normal, Slow to Fast Inversion, Slow to Fast

36ch (Mode 4) / 126ch (Mode 5) / 131ch (Mode 6):

CHANNEL			VALUE	FUNCTION
36ch	126ch	131ch		
1	1	1	000-255	RED 1 0%→100%
2	2	2	000-255	GREEN 1 0%→100%
3	3	3	000-255	BLUE 1 0%→100%
4	4	4	000-255	RED 2 0%→100%
5	5	5	000-255	GREEN 2 0%→100%
6	6	6	000-255	BLUE 2 0%→100%
7	7	7	000-255	RED 3 0%→100%
8	8	8	000-255	GREEN 3 0%→100%
9	9	9	000-255	BLUE 3 0%→100%
10	10	10	000-255	RED 4 0%→100%
11	11	11	000-255	GREEN 4 0%→100%
12	12	12	000-255	BLUE 4 0%→100%
13	13	13	000-255	RED 5 0%→100%
14	14	14	000-255	GREEN 5 0%→100%
15	15	15	000-255	BLUE 5

				0%→100%
16	16	16	000-255	RED 6 0%→100%
17	17	17	000-255	GREEN 6 0%→100%
18	18	18	000-255	BLUE 6 0%→100%
19	19	19	000-255	RED 7 0%→100%
20	20	20	000-255	GREEN 7 0%→100%
21	21	21	000-255	BLUE 7 0%→100%
22	22	22	000-255	RED 8 0%→100%
23	23	23	000-255	GREEN 8 0%→100%
24	24	24	000-255	BLUE 8 0%→100%
	25	25	000-255	RED 9 0%→100%
	26	26	000-255	GREEN 9 0%→100%
	27	27	000-255	BLUE 9 0%→100%
	28	28	000-255	RED 10 0%→100%
	29	29	000-255	GREEN 10 0%→100%
	30	30	000-255	BLUE 10 0%→100%
	31	31	000-255	RED 11 0%→100%
	32	32	000-255	GREEN 11 0%→100%
	33	33	000-255	BLUE 11 0%→100%
	34	34	000-255	RED 12 0%→100%
	35	35	000-255	GREEN 12 0%→100%

	36	36	000-255	BLUE 12 0%→100%
	37	37	000-255	RED 13 0%→100%
	38	38	000-255	GREEN 13 0%→100%
	39	39	000-255	BLUE 13 0%→100%
	40	40	000-255	RED 14 0%→100%
	41	41	000-255	GREEN 14 0%→100%
	42	42	000-255	BLUE 14 0%→100%
	43	43	000-255	RED 15 0%→100%
	44	44	000-255	GREEN 15 0%→100%
	45	45	000-255	BLUE 15 0%→100%
	46	46	000-255	RED 16 0%→100%
	47	47	000-255	GREEN 16 0%→100%
	48	48	000-255	BLUE 16 0%→100%
	49	49	000-255	RED 17 0%→100%
	50	50	000-255	GREEN 17 0%→100%
	51	51	000-255	BLUE 17 0%→100%
	52	52	000-255	RED 18 0%→100%
	53	53	000-255	GREEN 18 0%→100%
	54	54	000-255	BLUE 18 0%→100%
	55	55	000-255	RED 19 0%→100%
	56	56		GREEN 19

			000-255	0%→100%
	57	57	000-255	BLUE 19 0%→100%
	58	58	000-255	RED 20 0%→100%
	59	59	000-255	GREEN 20 0%→100%
	60	60	000-255	BLUE 20 0%→100%
	61	61	000-255	RED 21 0%→100%
	62	62	000-255	GREEN 21 0%→100%
	63	63	000-255	BLUE 21 0%→100%
	64	64	000-255	RED 22 0%→100%
	65	65	000-255	GREEN 22 0%→100%
	66	66	000-255	BLUE 22 0%→100%
	67	67	000-255	RED 23 0%→100%
	68	68	000-255	GREEN 23 0%→100%
	69	69	000-255	BLUE 23 0%→100%
	70	70	000-255	RED 24 0%→100%
	71	71	000-255	GREEN 24 0%→100%
	72	72	000-255	BLUE 24 0%→100%
	73	73	000-255	RED 25 0%→100%
	74	74	000-255	GREEN 25 0%→100%
	75	75	000-255	BLUE 25 0%→100%
	76	76	000-255	RED 26 0%→100%

	77	77	000-255	GREEN 26 0%→100%
	78	78	000-255	BLUE 26 0%→100%
	79	79	000-255	RED 27 0%→100%
	80	80	000-255	GREEN 27 0%→100%
	81	81	000-255	BLUE 27 0%→100%
	82	82	000-255	RED 28 0%→100%
	83	83	000-255	GREEN 28 0%→100%
	84	84	000-255	BLUE 28 0%→100%
	85	85	000-255	RED 29 0%→100%
	86	86	000-255	GREEN 29 0%→100%
	87	87	000-255	BLUE 29 0%→100%
	88	88	000-255	RED 30 0%→100%
	89	89	000-255	GREEN 30 0%→100%
	90	90	000-255	BLUE 30 0%→100%
	91	91	000-255	RED 31 0%→100%
	92	92	000-255	GREEN 31 0%→100%
	93	93	000-255	BLUE 31 0%→100%
	94	94	000-255	RED 32 0%→100%
	95	95	000-255	GREEN 32 0%→100%
	96	96	000-255	BLUE 32 0%→100%
	97	97		RED 33

			000-255	0%→100%
	98	98	000-255	GREEN 33 0%→100%
	99	99	000-255	BLUE 33 0%→100%
	100	100	000-255	RED 34 0%→100%
	101	101	000-255	GREEN 34 0%→100%
	102	102	000-255	BLUE 34 0%→100%
	103	103	000-255	RED 35 0%→100%
	104	104	000-255	GREEN 35 0%→100%
	105	105	000-255	BLUE 35 0%→100%
	106	106	000-255	RED 36 0%→100%
	107	107	000-255	GREEN 36 0%→100%
	108	108	000-255	BLUE 36 0%→100%
	109	109	000-255	RED 37 0%→100%
	110	110	000-255	GREEN 37 0%→100%
	111	111	000-255	BLUE 37 0%→100%
	112	112	000-255	RED 38 0%→100%
	113	113	000-255	GREEN 38 0%→100%
	114	114	000-255	BLUE 38 0%→100%
	115	115	000-255	RED 39 0%→100%
	116	116	000-255	GREEN 39 0%→100%
	117	117	000-255	BLUE 39 0%→100%

	118	118	000-255	RED 40 0%→100%
	119	119	000-255	GREEN 40 0%→100%
	120	120	000-255	BLUE 40 0%→100%
25			000-255	DIMMER (RGB) 0%→100%
26			000-255	DIMMER FINE (RGB)
27			000-255	STROBE DURATION (RGB)
28			000-006 007-255	STROBE RATE (RGB) Blackout Strobe from Slow to Fast
29			000-005 006-050 051-100 101-150 151-200 201-255	STROBE (RGB) Null Ramp up Ramp down Ramp up-down Lightning Random
30	121	121	000-255	WHITE 1 0%→100%
31	122	122	000-255	WHITE 2 0%→100%
	123	123	000-255	WHITE 3 0%→100%
	124	124	000-255	WHITE 4 0%→100%
	125	125	000-255	WHITE 5 0%→100%
	126	126	000-255	WHITE 6 0%→100%
32			000-255	DIMMER (W) 0%→100%
33			000-255	DIMMER FINE (W)
34			000-255	STROBE DURATION (W)
35			000-006 007-255	STROBE RATE (W) Blackout Strobe from Slow to Fast

36			000-005 006-050 051-100 101-150 151-200 201-255	STROBE (W) Null Ramp up Ramp down Ramp up-down Lightning Random
		127	000-255	DIMMER 0%→100%
		128	000-255	DIMMER FINE
		129	000-255	STROBE DURATION
		130	000-006 007-255	STROBE RATE Blackout Strobe from Slow to Fast
		131	000-005 006-050 051-100 101-150 151-200 201-255	STROBE Null Ramp up Ramp down Ramp up-down Lightning Random

LED PIXEL ZONES:

