

21 inch Stretched Bar LCD Display

Shelf Edge Displays

Our industrial shelf-edge displays are powerfully designed to support flexible content strategies, such as showing item prices to combining shelves vertically or horizontally to form a single virtual screen. These displays are available in an assortment of sizes and shapes, allowing you to create a unique and customized shopping experience to better engage your customers.

Fully Networked

The shelf-edge displays are powered by our Cloud Based digital signage platform for remote management and scheduling of content.

Multiple Length and Width

Options from small rack to the biggest one, also support customization sizes. Can cover any place on racks as shelf edge and header.

Multiple Display Mode

Each panel could display individual content but more then that is all the screen could integrated into a big screen!

High Definition

1080P is the basic option, more than that is 4K resolution.



FHD/UHD Resolution



Full Viewing Angle


USB Update


Built-in Android OS


WiFi Connection


Cloud based CMS



7 X 24 Hours

Scope of application


Supermarket

1, Replacing messy paper labels with digital shelf displays keeps shelves clean and tidy.
2, Showing video ads on the screen is a more effective way to stimulate buying desire.
3, One stretched screen can gracefully display information and prices for multiple products.
4, Digital content can be updated via network to save labor and material costs.



Franchised store

1, Fancy screens make stores and products look more advanced and attractive.
2, Digital shelf displays show more product types, models and advantages.
3, Well-designed digital content can get customers' attention and improve conversion rate.
4, Lift and learn solution enhances interaction with customers to optimize the brand experience.



Specifications

Model			Stretched Bar LCD Display
Panel	Display Size(inch)		21"
	Resolution		1920x132
	Active Display Area(mm)		526.4(H) x36.4(V)
	Aspect Ratio		14.5:1
	Brightness(cd/m2)		250nit
	Contrast Ratio(Typ.)		3000:1
	Viewing Angle(H/V)		178/178
	Color		178/178
	Response Time(G-to-G)		6ms
	Operation Hour		24/7
Power	Type		Internal
	Power Supply		AC 100 - 240 V~ (+/- 10 %),50/60 Hz
	Power Consumption	Max[W/h]	20W
		Sleep mode	less than 0.5W
		Off mode	less than 0.5W
Mechanical Spec	Protection Glass		Yes
	Stand Type		hook-mounted
Environmental	Operating Temperature		0°C ~ 50C
	Storage Temperature		-10°C ~ 60°C
	Operating Humidity		10% ~ 80 %
	Storage Humidity		5% ~ 95%
OS	Android Media Player	Processor	T972 quad-core A55, frequency up to 1.9GHz
		RAM	2G
		Flash	8G EMMC
		USB	1 USB OTG port, 1 USB2.0 A port
		LAN	10M/100M Ethernet(Network version screen only)
		External memory	8GB SD card(up to 64G)
		Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)
		Media Resolution	1920x132
		Wi-Fi	Built-in WIFI (default 2.4G single frequency, configurable to 2.4G/5G dual frequency)BT4.2
		Operating System	Android 9.0
Certifi cation	Safety		CE
Accessories	Included		Scheduling software, Remote control, Key, Power cable, SD card
	Quality assurance		1 year (2-3 years optional）
	Type of packaging		Carton box /honeycomb box + wooden case

Screenage

PEOPLE WHO PRODUCE RESULTS. THAT'S US!



FACTORY



EXHIBITION HALL



WAREHOUSE

COMPANY PROFILE

- Company Name: Screenage Technology
- Established in **2008**
- Focus area: Commercial LCD Display Product Development
- 10-Year Professional Manufacturer in Shenzhen,China
- Factory Total Area: **3000m²**
- Output: **100,000Pcs/Year**
- Product Range: Digital Signge, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.
- Main Market: North America,Western Europe,Mid East,Eastern Europe, South America,Africa
- Certificate: **ISO9001,CE,EMC,RoHS**

Have questions?

We have answers!

Get answers about Pricing,Specifications,Installation,and more

CONTACT US NOW!

E-mail: info@screenage.com